

MOTORIZATION

LuXout Low Voltage Wired Motors



LuXout Low Voltage Wired Motors

- Simple limit setting and adjustment
- Favorite position
- 3 operational speed settings available
- 2 way RF communication
- Powered by External DC power Supplies
- ARC™ protocol featuring efficient programming, battery power conservation and bi-directional communication



LS-50-LV
(50 sq. ft.)



LS-100-LV
(100 sq. ft.)



LS-150-300-LV
(150-300 sq. ft.)



MOTORIZATION

LuXout Low Voltage Wired Motors

FEATURES



Electronic
Limit Switch



Favorite
Position



433MHz
Bi-Directional




Adjustable
Speed



Quiet
Operation

APPLICATIONS



Designer Roller
Shade



Vision Shade

SPECIFICATIONS

	Voltage	Torque	Speed	Motor Length
LS-50-LV	12	1.1Nm	40rpm (Adj. to 30 or 20)	11.77"
LS-100-LV	12	2Nm	28rpm (Adj. to 24 or 20)	17.41"
LS-150-LV	12	3.0Nm	28rpm (Adj. to 24 or 20)	27.70"
LS-300-LV	12	10.0Nm	9rpm (Adj. to 8 or 6)	27.70"



MOTORIZATION

LuXout AC Wired Motors



LuXout AC Range

AC MECHANICAL LIMIT MOTORS

- Quiet operation
- Simple limit setting and adjustment
- "Slim Head" design minimizes light gap

AC RF MOTORS

- Favorite position
- 2 way RF communication
- ARC™ protocol featuring efficient programming and bi-directional communication




LS-150-AC



MOTORIZATION

LuXout AC Wired Motors

FEATURES



Electronic
Limit Switch



Favorite
Position




433MHz
Bi-Directional



Quiet
Operation

APPLICATIONS



Designer Roller
Shade

SPECIFICATIONS

	Voltage	Torque	Speed	Motor Length
LS-150-AC	110-120	6.0Nm	24rpm	21.18"
LS-300-AC	110-120	10.0Nm	21rpm	29.67"

